L Number	Hits	Search Text	DB	Time stamp
1	2	("6266784").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 12:38
8	4	automatic$2 adj updat$3 with time with day	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 12:40
15	0	updat$3 with (backup$3 or back-up$3) with index$3 with (link or url)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 14:06
22	1	updat$3 same (backup$3 or back-up$3) same index$3 with (link or url)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 15:46
29	0	(updat$3 same (backup$3 or back-up$3) same index$3 with (link or url)) and (index with html)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 15:46
36	1	(updat$3 same (backup$3 or back-up$3) same index$3 with (link or url)) and (html)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 15:46
45	10	(("6151609") or ("6466940") or ("6278992") or ("5796945") or ("6266784")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 16:59
-	0	("updat$3 with (((HTML or web) adj (file or page)) or document) with (server or database or resource)").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/14 08:32
-	1546	updat$3 with (((HTML or web) adj (file or page)) or document) with (server or database or resource)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/11 11:49
-	36	updat$3 with (((HTML or web) adj (file or page)) or document) with (server) with www	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/11 11:49
-	20	(updat$3 with (((HTML or web) adj (file or page)) or document) with (server) with www) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/11 13:30
-	38	home adj page adj updat$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/11 13:11
-	9	(home adj page adj updat$3) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/11 13:12

0

C:\APPS\EAST\Workspaces\09537074.wsp

–	0	(updat$3 with upload$3 with (((HTML or web) adj (file or page)) or document) with (server) with www) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/11 13:30
–	12	(updat$3 with upload$3 with (((HTML or web) adj (file or page)) or document)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/11 14:21
–	299	(file adj name with date with time) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/11 14:22
–	2	(file adj name with date with time) same (updat$3 same backup) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/11 16:13
–	75	koshizaka.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/11 16:07
–	9	koshizaka with yoshihiro.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/11 16:09
–	1	(koshizaka with yoshihiro.in.) and backup$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 16:57
–	299	(file adj name with date with time) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/11 16:14
–	9	(file adj name with date with time same backup) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/11 16:22
–	0	(attach$3 or add$3 or append$3 or modif$4 or prepend$3) near3 ((time with date) or time/date or date/time) near3 (file near2 name) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/11 16:28
–	0	(attach$3 or add$3 or append$3 or modif$4 or prepend$3) with ((time with date) or time/date or date/time) near3 (file near2 name) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/11 16:29
–	28	(attach$3 or add$3 or append$3 or modif$4 or prepend$3) with ((time with date) or time/date or date/time) with (file near2 name) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/11 16:58
–	3	(attach$3 or add$3 or append$3 or modif$4 or prepend$3) with ((time with date) or time/date or date/time) with (file near2 name) same updat$3 and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/11 17:10
–	56	(attach$3 or add$3 or append$3 or modif$4 or prepend$3) with ((time or date) or time/date or date/time) same (file near2 name) same updat$3 and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/11 17:22

-	38	((time with date) or time/date or date/time) with (file near2 name) with (updat$3 or updat$3 or modify$3) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/12 12:48
-	2	("5796825").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/12 12:59
-	15	(generat$3 or creat$3 or provide) with ((file or page or document or record or folder) adj (name or id or identifier)) with updat$3 with ((time with date) or time/date or date/time) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/12 13:15
-	48	HOSAKA with NAOKI.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/12 14:04
-	0	provide with information with reproduction with reading with history with directory with updating with file.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/12 14:05
-	0	provide with information with reproduction with reading with history with directory with updating with file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/12 14:06
-	0	provid$3 with information with reproduction with read$3 with history with directory with updat$3 with file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/12 14:07
-	0	provid$3 same information same reproduction same read$3 same history same directory same updat$3 same file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/12 14:08
-	13	read$3 same history same directory same updat$3 same file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/12 14:27
-	607	history with updat$3 with file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/12 14:28
-	64	read$3 with history with updat$3 with file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/12 14:28
-	48	(read$3 with history with updat$3 with file) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/12 14:41
-	0	11175380.URPN.	USPAT	2003/04/12 14:33
-	0	11175380.URPN.	USPAT	2003/04/12 14:33
-	67708	OLYMPUS with OPTICAL.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/12 15:19

C:\APPS\EAST\Workspaces\09537074.wsp

-	31	(OLYMPUS with OPTICAL.as.) and (file with updat$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/12 14:42
-	7	("5469564" | "5535188" | "5629981" | "5671202" | "5859968" | "5918222" | "5940516").PN.	USPAT	2003/04/12 14:57
-	2	("4677670" | "5144665").PN.	USPAT	2003/04/12 14:58
-	1114	updat$3 with (history or backup$3 or back-up$3) with file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/12 15:26
-	17	updat$3 with ((read$3 or retriev$3) adj(history or backup$3 or back-up$3)) with file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/12 15:27
-	202	(upload$3 or updat$3 or creat$3 or modify$3) with (file or page or document or record or folder) adj (name or id or identifier or identification) with date with time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/14 09:04
-	29	((upload$3 or updat$3 or creat$3 or modify$3) with (file or page or document or record or folder) adj (name or id or identifier or identification) with date with time) same (backup or back-up or history)	USPAT; US-PGPUB; EPO; JPO; DERWENT; ⊕IBM_TDB	2003/04/14 09:04
-	16	(((upload$3 or updat$3 or creat$3 or modify$3) with (file or page or document or record or folder) adj (name or id or identifier or identification) with date with time) same (backup or back-up or history)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/14 08:49
-	16	(upload$3 or updat$3 or creat$3 or modify$3 or post$3) with (file or page or document or record or folder) adj (name or id or identifier or identification) with date with time same (backup or back-up or history) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/14 09:24
-	27	(upload$3 or updat$3 or creat$3 or modify$3 or post$3) same (file or page or document or record or folder)near2 (name or id or identifier or identification) with date with time same (backup or back-up or history) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/14 09:26
-	27	(upload$3 or updat$3 or creat$3 or modify$3 or post$3) same (file or page or document or record or folder or message) near2 (name or id or identifier or identification) with date with time same (backup or back-up or history) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/14 09:39
-	69	(read$3 or retriev$3) with history with directory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/14 09:40
-	41	((read$3 or retriev$3) with history with directory) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/14 09:57

-	1520	(generat$3 or creat$3 or modif$3) near3 (file adj (name or id or identifier))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/14 10:02
-	61	(generat$3 or creat$3 or modif$3) near3 (file adj (name or id or identifier)) with date with time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/14 10:03
-	35	((generat$3 or creat$3 or modif$3) near3 (file adj (name or id or identifier)) with date with time) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/14 10:43
-	42	(home adj page near3 updat$3) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/14 15:06
-	0	(home adj page near3 updat$3) with (backup or back-up) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/14 11:03
-	0	(home adj page near3 updat$3) same (backup or back-up) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/14 11:03
-	3	updat$3 with (backup or history) with (web adj page) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/14 15:11
-	4	(personal adj home adj page with updat$3) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/14 15:13
-	5	(personal adj home adj page same updat$3) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/14 15:14
-	157	(supply$3 adj information same updat$3) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/14 15:15
-	377	(reproduc$3 or read$3 or retriev$3) with (history or bakup or copy or replica) with web	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/14 15:58
-	185	((reproduc$3 or read$3 or retriev$3) with (history or bakup or copy or replica) with web) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/14 16:39
-	0	(upload$3 near2 (file or page or document) with (backup or back-up)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/14 16:43
-	1	(upload$3 near2 (file or page or document) same (backup or back-up)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/14 16:43

-	523	(upload$3 near2 (file or page or document)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/14 16:45
-	4	(upload$3 near2 (file or page or document) same (home adj page)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/14 16:53
-	0	(upload$3 near4 (file or page or document) same (personal adj home adj page)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/14 16:56
-	196	user with web adj page with stor$3 with server and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/14 16:57
-	2	user with web adj page with stor$3 with server same ((personal or private or individual or own) near2 (web adj page)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/14 17:06
-	21	((web adj page) same (history or backup or back-up) same updat$3)and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/14 17:15
-	799	((updat$3 or upload$3) near2 (page or file)) with (backup or backup or history or replica or copy or copies) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/14 17:40
-	10	((updat$3 or upload$3) near2 (page or file)) with (backup or backup or history or replica or copy or copies) with (web or www) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/14 17:18
-	1	((updat$3 or upload$3) near2 (page or file)) with (original adj (backup or backup or history or replica or copy or copies)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/14 18:03
-	229	access$3 with network with storage with limit$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/14 18:06
-	78	(access$3 with network with storage with limit$3) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/14 18:05
-	1	access$3 with network with storage with limit$3 with (www or (web adj page)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/14 18:09
-	2	access$3 with network with storage with limit$3 same (www or (web adj page)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/14 18:10
-	6	access$3 with network with storage with limit$3 and (www or (web adj page)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/14 19:12

-	0	(backup with updat$3 with retriev$3 with (www or(web adj page) with index$3)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/14 19:15
-	0	(backup same updat$3 same retriev$3 same (www or(web adj page) with index$3)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/14 19:15
-	0	(backup same updat$3 same retriev$3 same (www or(web adj page) same index$3)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/14 19:16
-	745	(retriev$3 same (www or(web adj page) same index$3)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/14 19:16
-	36	(((www or(web adj page)) with index$3) with URL) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/14 19:17
-	581	search$3 with index with (html or page)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 09:13
-	15	search$3 with index with (html or page) with updat$3 and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 09:37
-	0	search$3 with index with (html or page) same (retriev$3 or read$3) near2 ((backup or back-up or original) near2 (copy or page or document or file or record)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 09:40
-	0	search$3 with index with (html or page) same (retriev$3 or read$3) with ((backup or back-up or original) near2 (copy or page or document or file or record)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 09:41
-	0	search$3 with index with (html or page) same (retriev$3 or read$3) with ((backup or back-up or original) with (copy or page or document or file or record)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 09:41
-	34	index with (html or page) same (retriev$3 or read$3) with ((backup or back-up or original) with (copy or page or document or file or record)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 10:11
-	633	(request$3 or retriev$3 or read$3) with (backup or back-up) with (client or user)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 10:13
-	0	(request$3 or retriev$3 or read$3) with (backup or back-up) with (client or user) with (www or web) same (updat$3 or replac$3 or modif$5) near2 (page or document or file or data or message or record) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 10:16

-	0	(request$3 or retriev$3 or read$3) with (backup or back-up) with (client or user) with (www or web) same (updat$3 or replac$3 or modif$5) with (page or document or file or data or message or record) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 10:16
-	2	(request$3 or retriev$3 or read$3) with (backup or back-up) with (client or user) with (www or web) and ((updat$3 or replac$3 or modif$5) with (page or document or file or data or message or record)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 10:44
-	0	(request$3 or retriev$3 or read$3) with (backup or back-up) with (client or user) with (www or web) same ((updat$3 or replac$3 or modif$5)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 10:45
-	4	(request$3 or retriev$3 or read$3) with (backup or back-up) with (client or user) with (www or web) and ((updat$3 or replac$3 or modif$5)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 10:54
-	372	(request$3 or retriev$3 or read$3) with (backup or back-up) with ((updat$3 or replac$3 or modif$5)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 10:56
-	0	(request$3 or retriev$3 or read$3) with (backup or back-up) with (www or web) same ((updat$3 or replac$3 or modif$5)) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 10:56
-	2	(request$3 or retriev$3 or read$3) with (backup or back-up) with ((updat$3 or replac$3 or modif$5)) same (www or web) and @ad<19990331	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 12:35

C:\APPS\EAST\Workspaces\09537074.wsp